

LISO FLOOR 2000

Satineted up to anti-slip Topcoat For Concrete Floor



The green power
for your concrete

CHARACTERISTICS

LisoFloor 2000 is a solid color for concrete floors. This solution based on different resins, easy to use and to apply with a roller, will provide you with a semi-matt and also available in anti-slip grade.

PRODUCT DESCRIPTION

Product based on acrylic resin for new and old concrete surfaces who will give you after 5 days an excellent resistance to abrasion, a really dustproof, an excellent waterproofing and resistance to many chemicals (as Oil, Citrus Juice, Milk, Vinegar, and water)

Product in aqueous solution, without any solvent and with a VOC emission rate. Very low.

LisoChem SRL

Rue de Le Mesnil, 34
5670 Viroinval (Belgium)
Phone: +32 60 490 190
Mobile: +32 483 367 323
www.lisochem.com
info@lisochem.com

Manufacture & Office

Rue des Mousquetaires Gris 35
ZI de Mariembourg
5660 Belgium
Phone: +32 60 490 190
Mobile: + 32 483 367 323

LISOFLOOR 2000

Satineted Color too Anti-Slip Topcoat For Concrete Floor

The Green Power for your Concrete

CHARACTERISTICS

LisoFloor 2000

- Product based on acrylic resins
- For new and old concrete surfaces.
- Excellent resistance to abrasion, dustproof.
- Excellent waterproofing and resistance to many chemicals, and available in anti-slip version.
- Product in aqueous solution, without any solvent and with a VOC emission rate. Very low.

PRODUCT DESCRIPTION

LisoFloor 2000 is a solid color for concrete floors. This solution based on different resins, easy to use and to apply with a roller, will provide you with a semi-matt and available anti-slip floor. Complies with the VOC standards in force in the world and withstands light traffic. This anti-slip choice is offered in 8 μ , Medium grade.

To be put on a hyper clean concrete floor and proposed in 6 colors. This product will develop a resistance to dirt, a perfect waterproofing and this within 8 days. (See attached table with our application system)

USES

New or Old Concrete

For light traffic: pedestrian, car, Clark (slow traffic)

Factories Shed, Storage, Warehouses, Distribution Centers, Food Plants, Textiles, Pharmaceuticals, Electronics, Chemicals. Refrigerated warehouses, bottling plants, Aeronautic and automotive warehouses, etc. Buildings: Health Centers and Hospitals, Offices, Restaurant Cafeterias, Penitentiary Institutions, Stores and Shopping Centers, Schools, University Stadiums, Veterinary Clinics, Common Areas, Aisles and Corridors, Sanitized Environments, Kitchens, Laboratories.

SECURITY

For more information, please refer to the safety data sheet, however:

- » Keep out of reach of children
- » Protect from frost
- » Wear gloves and safety glasses
- » Cover all metal and glass parts before application

LISO FLOOR 2000

Satineted Color too Anti-Slip Topcoat For Concrete Floor

The Green Power for your Concrete

PHYSICAL PROPERTIES

Opaque liquid according to color, aqueous solution

Active ingredients: 100%.

Boiling point: 100°C

Freezing Point: 0°C

No Penetration: thickness +/- 1,5 mm

Shelf life: 6 months in an original and closed container and stored in a closed place and under normal conditions. (Storage 1 to 29°C)

COLORS



RAL 9003

7016

7040

7037

7035

Also 2 safety colors - Yellow and Green

PREPARATION, APPLICATION, MAINTENANCE

General remarks

- Never apply in freezing or rainy weather. Each time make a test on the support in an inconspicuous place.
Never dilute or add other products or liquids to the base product. It is very important to thoroughly mix LisoFloor products before and during use.
Never burnish or polish the surface!

Preparation & Application

- General information: Never apply in frosty or rainy weather or by strong heat. Ideal temperature between 8° C and 27° C.

Maintenance

Please try to clean your surface minimum one time a week with a scrubber machine and neutral soap during the first month of the application, it will increase the hardness, and resistance to various stains such as oil, beverage, etc.

EQUIPMENT

- » Auto Scrubber with very, very soft brushes
- » Vacuum machine
- » Painting roll with very short hair

PACKAGING

Basket only 20L