

# LISOFLOOR 3000

Transparent too anti-slip Topcoat for Concrete Surface



The green power  
for your concrete

## CHARACTERISTICS

LisoFloor 3000 is a transparent topcoat for concrete floors. This solution based on different resins, easy to use and to apply with a roller, will provide you with a semi-matt and available non-slip floor.

## PRODUCT DESCRIPTION

Product based on acrylic resin for new and old concrete surfaces who will give you after 5 days an excellent resistance to abrasion, a really dustproof, an excellent waterproofing and resistance to many chemicals (as Oil, Citrus Juice, Milk, Vinegar, and water)

Product in aqueous solution, without any solvent and with a VOC emission rate. Very low.

### LisoChem SRL

Rue de Le Mesnil, 34  
5670 Viroinval (Belgium)  
Phone: +32 60 490 190  
Mobile: +32 483 367 323  
[www.lisochem.com](http://www.lisochem.com)  
[info@lisochem.com](mailto:info@lisochem.com)

### Manufacture & Office

Rue des Mousquetaires Gris 35  
ZI de Mariembourg  
5660 Belgium  
Phone: +32 60 490 190  
Mobile: + 32 483 367 323

# LISOFLOOR 3000

Transparent too anti-slip Topcoat for Concrete Surface

*The Green Power for your Concrete*

## CHARACTERISTICS

LisoFloor 3000

- Product based on a set of new aqueous resins
- Excellent abrasion resistance, dust and anti-slip resistance available.
- Excellent water and oil repellency of the surface.
- Produced in aqueous solution, without any solvent and with a very low VOC emission rate.

## PRODUCT DESCRIPTION

LisoFloor 3000 is a topcoat that combines the latest generation of resins. This aqueous solution, combined with the latest development of water-repellent polymers, can be used on new or old concrete floors. Very easy to use solution.

Excellent anti-dust, excellent properties: anti-slip, increased surface hardness, exceptional waterproofing and oleophobic resistance, conforms to VOC standards. This anti-slip coat is offered with a grade of 8 $\mu$ , Medium. This coat cannot be polish or burnish.

Simple to apply and ONLY by roller.

The treated surface will be accessible for pedestrian after 4 days & all traffic 8 days after application.

## USES

New or Old Concrete

For light traffic: pedestrian, car, Clark (slow traffic)

Factories Shed, Storage, Warehouses, Distribution Centers, Food Plants, Textiles, Pharmaceuticals, Electronics, Chemicals. Refrigerated warehouses, bottling plants, Aeronautic and automotive warehouses, etc.

Buildings: Health Centers and Hospitals, Offices, Restaurant Cafeterias, Penitentiary Institutions, Stores and Shopping Centers, Schools, University Stadiums, Veterinary Clinics, Common Areas, Aisles and Corridors, Sanitized Environments, Kitchens, Laboratories.

## SECURITY

For more information, please refer to the safety data sheet, however:

- » Keep out of reach of children
- » Protect from frost
- » Wear gloves and safety glasses
- » Cover all metal and glass parts before application

# LISOFLOOR 3000

Transparent too anti-slip Topcoat for Concrete Surface

*The Green Power for your Concrete*

## PHYSICAL PROPERTIES

Milky liquid, aqueous solution

Active ingredients: 100%.

Boiling point: 100°C

Freezing Point: 0°C

Shelf life: 6 months in an original and closed container and stored in a closed place and under normal conditions.

## PREPARATION, APPLICATION, MAINTENANCE

### General remarks

- Never apply in freezing or rainy weather. Each time make a test on the support in an inconspicuous place.  
Never dilute or add other products or liquids to the base product. It is very important to thoroughly mix LisoFloor 3000 product before and during use.

### Preparation & Application (See the Application System)

- General information: General information: Never apply in frosty or rainy weather or by strong heat. Ideal temperature between 8° C and 27° C.

### Maintenance

Please try to clean your surface minimum one time a week with a scrubber machine and neutral soap during the first month of the application, it will increase the hardness, and resistance to various stains such as oil, beverage, etc. Please use only very soft brushes!

## EQUIPMENT

- » Auto Scrubber with very soft brushes
- » Vacuum machine
- » Roll

## PACKAGING

Basket only ..... 20L