LISOCLEAN 850 Moss and Fungi cleaner



The green power for your concrete

LisoChem SRL

Rue de Le Mesnil, 34 5670 Viroinval (Belgium) Phone: +32 60 490 190 Mobile: +32 483 367 323 www.lisochem.com info@lisochem.com

Manufacture & Office

Rue des Mousquetaires Gris 35 ZI de Mariembourg 5660 Belgium Phone: +32 60 490 190 Mobile: + 32 483 367 323

CHARACTERISTICS

LisoClean 850 inhibits growth and removes micro-organisms and bacteria from outdoor surfaces :

- >> Water-dilutable product
- » Shelf Life: One year

PRODUCT DESCRIPTION

LisoClean 850 can be used on nearly all whashable «exterior» surfaces.

LisoClean 850 will works very actively against re-growth of moss, algae and lynches.

LisoClean 850 is nearly odour free and do not gives any odour to cleaned surfaces or materials.

LISOCLEAN 850 Moss and Fungi cleaner

The Green Power for your Concrete

CHARACTERISTICS

LisoClean 850

- Inhibts growth of algae, bacteria and fungi.
- Can be used on nearly all washable exterior surfaces.
- Nearly odour free and do not give any odour to cleaned surfaces or materials.

AREAS OF APPLICATION

LisoClean 850 can be used on most mineral outside surfaces, such as :

- Roof tiles
- Facades
- Masonry
- Concrete
- Pavement
- Natural stones
- ...

PHYSICAL PROPERTIES

Clear liquid Odour: weak Specific Gravity: 1.04 pH undiluted: 7-8 Solubility: water-soluble Shelf Life: One year in original unopened factory containers and stored under normal storage conditions.



LisoChem SRL Rue de Le Mesnil, 34 • 5670 Viroinval (Belgium) Phone: +32 60 490 190 | Mobile: +32 483 367 323 www.lisochem.com • info@lisochem.com

LISOCLEAN 850 Moss and Fungi cleaner

PREPARATION, APPLICATION, MAINTENANCE

LisoClean MF has to be diluated - mix 1 part of cleaner with 50 parts of tap water. On very dirty surface, dilute 1 part of cleaner with 25 parts of tap water.

Apply LisoClean 820 with spray or brush and let the product react.

After application the growth will be removed within 5 days.

SAFETY

- » Keep out of reach of children
- » Protect from freezing
- » Wear safety glasses and rubber gloves
- » Do not apply to metal
- » Do not apply to glass
- » Do not apply near fish ponds or similar
- » Make sure the product does not get into the aquatic environment
- Obligation to collect the rinsing water in a container and close the drain going into the rainwater tank

For further information, refer to SDS.

PACKAGING

Basket......20L Drum200L Special packaging on request.



LisoChem SRL Rue de Le Mesnil, 34 • 5670 Viroinval (Belgium) Phone: +32 60 490 190 | Mobile: +32 483 367 323 www.lisochem.com • info@lisochem.com